

## Clear Opening and Egress

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
1 <sup>0</sup> 1 <sup>0</sup>	12	12	11 1/2	11 1/2	-	-	-	-	-	9 15/16	9 15/16	0.55
1 <sup>0</sup> 2 <sup>0</sup>	12	24	11 1/2	23 1/2	-	-	-	-	-	9 15/16	21 15/16	1.30
1 <sup>0</sup> 2 <sup>6</sup>	12	30	11 1/2	29 1/2	-	-	-	-	-	9 15/16	27 15/16	1.67
1 <sup>0</sup> 3 <sup>0</sup>	12	36	11 1/2	35 1/2	-	-	-	-	-	9 15/16	33 15/16	2.04
1 <sup>0</sup> 3 <sup>6</sup>	12	42	11 1/2	41 1/2	-	-	-	-	-	9 15/16	39 15/16	2.42
1 <sup>0</sup> 4 <sup>0</sup>	12	48	11 1/2	47 1/2	-	-	-	-	-	9 15/16	45 15/16	2.79
1 <sup>0</sup> 4 <sup>6</sup>	12	54	11 1/2	53 1/2	-	-	-	-	-	9 15/16	51 15/16	3.16
1 <sup>0</sup> 5 <sup>0</sup>	12	60	11 1/2	59 1/2	-	-	-	-	-	9 15/16	57 15/16	3.53
1 <sup>0</sup> 5 <sup>6</sup>	12	66	11 1/2	65 1/2	-	-	-	-	-	9 15/16	63 15/16	3.91
1 <sup>0</sup> 6 <sup>0</sup>	12	72	11 1/2	71 1/2	-	-	-	-	-	9 15/16	69 15/16	4.28
1 <sup>6</sup> 2 <sup>0</sup>	18	24	17 1/2	23 1/2	-	-	-	-	-	15 15/16	21 15/16	2.17
1 <sup>6</sup> 2 <sup>6</sup>	18	30	17 1/2	29 1/2	-	-	-	-	-	15 15/16	27 15/16	2.79
1 <sup>6</sup> 3 <sup>0</sup>	18	36	17 1/2	35 1/2	-	-	-	-	-	15 15/16	33 15/16	3.42
1 <sup>6</sup> 3 <sup>6</sup>	18	42	17 1/2	41 1/2	-	-	-	-	-	15 15/16	39 15/16	4.04
1 <sup>6</sup> 4 <sup>0</sup>	18	48	17 1/2	47 1/2	-	-	-	-	-	15 15/16	45 15/16	4.66
1 <sup>6</sup> 4 <sup>6</sup>	18	54	17 1/2	53 1/2	-	-	-	-	-	15 15/16	51 15/16	5.28
1 <sup>6</sup> 5 <sup>0</sup>	18	60	17 1/2	59 1/2	-	-	-	-	-	15 15/16	57 15/16	5.91
1 <sup>6</sup> 5 <sup>6</sup>	18	66	17 1/2	65 1/2	-	-	-	-	-	15 15/16	63 15/16	6.53
1 <sup>6</sup> 6 <sup>0</sup>	18	72	17 1/2	71 1/2	-	-	-	-	-	15 15/16	69 15/16	7.15
2 <sup>0</sup> 2 <sup>0</sup>	24	24	23 1/2	23 1/2	-	-	-	-	-	21 15/16	21 15/16	3.04
2 <sup>0</sup> 2 <sup>6</sup>	24	30	23 1/2	29 1/2	-	-	-	-	-	21 15/16	27 15/16	3.92
2 <sup>0</sup> 3 <sup>0</sup>	24	36	23 1/2	35 1/2	-	-	-	-	-	21 15/16	33 15/16	4.79
2 <sup>0</sup> 3 <sup>6</sup>	24	42	23 1/2	41 1/2	-	-	-	-	-	21 15/16	39 15/16	5.66
2 <sup>0</sup> 4 <sup>0</sup>	24	48	23 1/2	47 1/2	-	-	-	-	-	21 15/16	45 15/16	6.53
2 <sup>0</sup> 4 <sup>6</sup>	24	54	23 1/2	53 1/2	-	-	-	-	-	21 15/16	51 15/16	7.41
2 <sup>0</sup> 5 <sup>0</sup>	24	60	23 1/2	59 1/2	-	-	-	-	-	21 15/16	57 15/16	8.28
2 <sup>0</sup> 5 <sup>6</sup>	24	66	23 1/2	65 1/2	-	-	-	-	-	21 15/16	63 15/16	9.15
2 <sup>0</sup> 6 <sup>0</sup>	24	72	23 1/2	71 1/2	-	-	-	-	-	21 15/16	69 15/16	10.02
2 <sup>6</sup> 2 <sup>0</sup>	30	24	29 1/2	23 1/2	-	-	-	-	-	27 15/16	21 15/16	3.92
2 <sup>6</sup> 2 <sup>6</sup>	30	30	29 1/2	29 1/2	-	-	-	-	-	27 15/16	27 15/16	5.04
2 <sup>6</sup> 3 <sup>0</sup>	30	36	29 1/2	35 1/2	-	-	-	-	-	27 15/16	33 15/16	6.16
2 <sup>6</sup> 3 <sup>6</sup>	30	42	29 1/2	41 1/2	-	-	-	-	-	27 15/16	39 15/16	7.28
2 <sup>6</sup> 4 <sup>0</sup>	30	48	29 1/2	47 1/2	-	-	-	-	-	27 15/16	45 15/16	8.41
2 <sup>6</sup> 4 <sup>6</sup>	30	54	29 1/2	53 1/2	-	-	-	-	-	27 15/16	51 15/16	9.53
2 <sup>6</sup> 5 <sup>0</sup>	30	60	29 1/2	59 1/2	-	-	-	-	-	27 15/16	57 15/16	10.65
2 <sup>6</sup> 5 <sup>6</sup>	30	66	29 1/2	65 1/2	-	-	-	-	-	27 15/16	63 15/16	11.77
2 <sup>6</sup> 6 <sup>0</sup>	30	72	29 1/2	71 1/2	-	-	-	-	-	27 15/16	69 15/16	12.90
3 <sup>0</sup> 2 <sup>0</sup>	36	24	35 1/2	23 1/2	-	-	-	-	-	33 15/16	21 15/16	4.79
3 <sup>0</sup> 2 <sup>6</sup>	36	30	35 1/2	29 1/2	-	-	-	-	-	33 15/16	27 15/16	6.16
3 <sup>0</sup> 3 <sup>0</sup>	36	36	35 1/2	35 1/2	-	-	-	-	-	33 15/16	33 15/16	7.53
3 <sup>0</sup> 3 <sup>6</sup>	36	42	35 1/2	41 1/2	-	-	-	-	-	33 15/16	39 15/16	8.91
3 <sup>0</sup> 4 <sup>0</sup>	36	48	35 1/2	47 1/2	-	-	-	-	-	33 15/16	45 15/16	10.28
3 <sup>0</sup> 4 <sup>6</sup>	36	54	35 1/2	53 1/2	-	-	-	-	-	33 15/16	51 15/16	11.65
3 <sup>0</sup> 5 <sup>0</sup>	36	60	35 1/2	59 1/2	-	-	-	-	-	33 15/16	57 15/16	13.02
3 <sup>0</sup> 5 <sup>6</sup>	36	66	35 1/2	65 1/2	-	-	-	-	-	33 15/16	63 15/16	14.40
3 <sup>0</sup> 6 <sup>0</sup>	36	72	35 1/2	71 1/2	-	-	-	-	-	33 15/16	69 15/16	15.77
4 <sup>0</sup> 2 <sup>0</sup>	48	24	47 1/2	23 1/2	-	-	-	-	-	45 15/16	21 15/16	6.53
4 <sup>0</sup> 2 <sup>6</sup>	48	30	47 1/2	29 1/2	-	-	-	-	-	45 15/16	27 15/16	8.41
4 <sup>0</sup> 3 <sup>0</sup>	48	36	47 1/2	35 1/2	-	-	-	-	-	45 15/16	33 15/16	10.28
4 <sup>0</sup> 3 <sup>6</sup>	48	42	47 1/2	41 1/2	-	-	-	-	-	45 15/16	39 15/16	12.15
4 <sup>0</sup> 4 <sup>0</sup>	48	48	47 1/2	47 1/2	-	-	-	-	-	45 15/16	45 15/16	14.02
4 <sup>0</sup> 4 <sup>6</sup>	48	54	47 1/2	53 1/2	-	-	-	-	-	45 15/16	51 15/16	15.90
4 <sup>0</sup> 5 <sup>0</sup>	48	60	47 1/2	59 1/2	-	-	-	-	-	45 15/16	57 15/16	17.77
4 <sup>0</sup> 5 <sup>6</sup>	48	66	47 1/2	65 1/2	-	-	-	-	-	45 15/16	63 15/16	19.64
4 <sup>0</sup> 6 <sup>0</sup>	48	72	47 1/2	71 1/2	-	-	-	-	-	45 15/16	69 15/16	21.51

## Clear Opening and Egress

Rev: 9/24/15

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
5 <sup>0</sup> 2 <sup>0</sup>	60	24	59 1/2	23 1/2	-	-	-	-	-	57 15/16	21 15/16	8.28
5 <sup>0</sup> 2 <sup>6</sup>	60	30	59 1/2	29 1/2	-	-	-	-	-	57 15/16	27 15/16	10.65
5 <sup>0</sup> 3 <sup>0</sup>	60	36	59 1/2	35 1/2	-	-	-	-	-	57 15/16	33 15/16	13.02
5 <sup>0</sup> 3 <sup>6</sup>	60	42	59 1/2	41 1/2	-	-	-	-	-	57 15/16	39 15/16	15.40
5 <sup>0</sup> 4 <sup>0</sup>	60	48	59 1/2	47 1/2	-	-	-	-	-	57 15/16	45 15/16	17.77
5 <sup>0</sup> 4 <sup>6</sup>	60	54	59 1/2	53 1/2	-	-	-	-	-	57 15/16	51 15/16	20.14
5 <sup>0</sup> 5 <sup>0</sup>	60	60	59 1/2	59 1/2	-	-	-	-	-	57 15/16	57 15/16	22.51
5 <sup>0</sup> 5 <sup>6</sup>	60	66	59 1/2	65 1/2	-	-	-	-	-	57 15/16	63 15/16	24.89
5 <sup>0</sup> 6 <sup>0</sup>	60	72	59 1/2	71 1/2	-	-	-	-	-	57 15/16	69 15/16	27.26
6 <sup>0</sup> 2 <sup>0</sup>	72	24	71 1/2	23 1/2	-	-	-	-	-	69 15/16	21 15/16	10.02
6 <sup>0</sup> 2 <sup>6</sup>	72	30	71 1/2	29 1/2	-	-	-	-	-	69 15/16	27 15/16	12.90
6 <sup>0</sup> 3 <sup>0</sup>	72	36	71 1/2	35 1/2	-	-	-	-	-	69 15/16	33 15/16	15.77
6 <sup>0</sup> 3 <sup>6</sup>	72	42	71 1/2	41 1/2	-	-	-	-	-	69 15/16	39 15/16	18.64
6 <sup>0</sup> 4 <sup>0</sup>	72	48	71 1/2	47 1/2	-	-	-	-	-	69 15/16	45 15/16	21.51
6 <sup>0</sup> 4 <sup>6</sup>	72	54	71 1/2	53 1/2	-	-	-	-	-	69 15/16	51 15/16	24.39
6 <sup>0</sup> 5 <sup>0</sup>	72	60	71 1/2	59 1/2	-	-	-	-	-	69 15/16	57 15/16	27.26
6 <sup>0</sup> 5 <sup>6</sup>	72	66	71 1/2	65 1/2	-	-	-	-	-	69 15/16	63 15/16	30.13
6 <sup>0</sup> 6 <sup>0</sup>	72	72	71 1/2	71 1/2	-	-	-	-	-	69 15/16	69 15/16	33.00
7 <sup>0</sup> 2 <sup>0</sup>	84	24	83 1/2	23 1/2	-	-	-	-	-	81 15/16	21 15/16	11.77
7 <sup>0</sup> 2 <sup>6</sup>	84	30	83 1/2	29 1/2	-	-	-	-	-	81 15/16	27 15/16	15.14
7 <sup>0</sup> 3 <sup>0</sup>	84	36	83 1/2	35 1/2	-	-	-	-	-	81 15/16	33 15/16	18.51
7 <sup>0</sup> 3 <sup>6</sup>	84	42	83 1/2	41 1/2	-	-	-	-	-	81 15/16	39 15/16	21.89
7 <sup>0</sup> 4 <sup>0</sup>	84	48	83 1/2	47 1/2	-	-	-	-	-	81 15/16	45 15/16	25.26
7 <sup>0</sup> 4 <sup>6</sup>	84	54	83 1/2	53 1/2	-	-	-	-	-	81 15/16	51 15/16	28.63
7 <sup>0</sup> 5 <sup>0</sup>	84	60	83 1/2	59 1/2	-	-	-	-	-	81 15/16	57 15/16	32.00
8 <sup>0</sup> 2 <sup>0</sup>	96	24	95 1/2	23 1/2	-	-	-	-	-	93 15/16	21 15/16	13.51
8 <sup>0</sup> 2 <sup>6</sup>	96	30	95 1/2	29 1/2	-	-	-	-	-	93 15/16	27 15/16	17.39
8 <sup>0</sup> 3 <sup>0</sup>	96	36	95 1/2	35 1/2	-	-	-	-	-	93 15/16	33 15/16	21.26
8 <sup>0</sup> 3 <sup>6</sup>	96	42	95 1/2	41 1/2	-	-	-	-	-	93 15/16	39 15/16	25.13
8 <sup>0</sup> 4 <sup>0</sup>	96	48	95 1/2	47 1/2	-	-	-	-	-	93 15/16	45 15/16	29.00
8 <sup>0</sup> 4 <sup>6</sup>	96	54	95 1/2	53 1/2	-	-	-	-	-	93 15/16	51 15/16	32.88
8 <sup>0</sup> 5 <sup>0</sup>	96	60	95 1/2	59 1/2	-	-	-	-	-	93 15/16	57 15/16	36.75

## Clear Opening and Egress

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
1 <sup>0</sup> 1 <sup>0</sup>	12	12	11 1/2	11 1/2	-	-	-	-	-	10	10	0.56
1 <sup>0</sup> 2 <sup>0</sup>	12	24	11 1/2	23 1/2	-	-	-	-	-	10	22	1.31
1 <sup>0</sup> 2 <sup>6</sup>	12	30	11 1/2	29 1/2	-	-	-	-	-	10	28	1.69
1 <sup>0</sup> 3 <sup>0</sup>	12	36	11 1/2	35 1/2	-	-	-	-	-	10	34	2.06
1 <sup>0</sup> 3 <sup>6</sup>	12	42	11 1/2	41 1/2	-	-	-	-	-	10	40	2.44
1 <sup>0</sup> 4 <sup>0</sup>	12	48	11 1/2	47 1/2	-	-	-	-	-	10	46	2.81
1 <sup>0</sup> 4 <sup>6</sup>	12	54	11 1/2	53 1/2	-	-	-	-	-	10	52	3.19
1 <sup>0</sup> 5 <sup>0</sup>	12	60	11 1/2	59 1/2	-	-	-	-	-	10	58	3.56
1 <sup>0</sup> 5 <sup>6</sup>	12	66	11 1/2	65 1/2	-	-	-	-	-	10	64	3.94
1 <sup>0</sup> 6 <sup>0</sup>	12	72	11 1/2	71 1/2	-	-	-	-	-	10	70	4.31
1 <sup>6</sup> 2 <sup>0</sup>	18	24	17 1/2	23 1/2	-	-	-	-	-	16	22	2.19
1 <sup>6</sup> 2 <sup>6</sup>	18	30	17 1/2	29 1/2	-	-	-	-	-	16	28	2.81
1 <sup>6</sup> 3 <sup>0</sup>	18	36	17 1/2	35 1/2	-	-	-	-	-	16	34	3.44
1 <sup>6</sup> 3 <sup>6</sup>	18	42	17 1/2	41 1/2	-	-	-	-	-	16	40	4.06
1 <sup>6</sup> 4 <sup>0</sup>	18	48	17 1/2	47 1/2	-	-	-	-	-	16	46	4.69
1 <sup>6</sup> 4 <sup>6</sup>	18	54	17 1/2	53 1/2	-	-	-	-	-	16	52	5.31
1 <sup>6</sup> 5 <sup>0</sup>	18	60	17 1/2	59 1/2	-	-	-	-	-	16	58	5.94
1 <sup>6</sup> 5 <sup>6</sup>	18	66	17 1/2	65 1/2	-	-	-	-	-	16	64	6.56
1 <sup>6</sup> 6 <sup>0</sup>	18	72	17 1/2	71 1/2	-	-	-	-	-	16	70	7.19
2 <sup>0</sup> 2 <sup>0</sup>	24	24	23 1/2	23 1/2	-	-	-	-	-	22	22	3.06
2 <sup>0</sup> 2 <sup>6</sup>	24	30	23 1/2	29 1/2	-	-	-	-	-	22	28	3.94
2 <sup>0</sup> 3 <sup>0</sup>	24	36	23 1/2	35 1/2	-	-	-	-	-	22	34	4.81
2 <sup>0</sup> 3 <sup>6</sup>	24	42	23 1/2	41 1/2	-	-	-	-	-	22	40	5.69
2 <sup>0</sup> 4 <sup>0</sup>	24	48	23 1/2	47 1/2	-	-	-	-	-	22	46	6.56
2 <sup>0</sup> 4 <sup>6</sup>	24	54	23 1/2	53 1/2	-	-	-	-	-	22	52	7.44
2 <sup>0</sup> 5 <sup>0</sup>	24	60	23 1/2	59 1/2	-	-	-	-	-	22	58	8.31
2 <sup>0</sup> 5 <sup>6</sup>	24	66	23 1/2	65 1/2	-	-	-	-	-	22	64	9.19
2 <sup>0</sup> 6 <sup>0</sup>	24	72	23 1/2	71 1/2	-	-	-	-	-	22	70	10.06
2 <sup>6</sup> 2 <sup>0</sup>	30	24	29 1/2	23 1/2	-	-	-	-	-	28	22	3.94
2 <sup>6</sup> 2 <sup>6</sup>	30	30	29 1/2	29 1/2	-	-	-	-	-	28	28	5.06
2 <sup>6</sup> 3 <sup>0</sup>	30	36	29 1/2	35 1/2	-	-	-	-	-	28	34	6.19
2 <sup>6</sup> 3 <sup>6</sup>	30	42	29 1/2	41 1/2	-	-	-	-	-	28	40	7.31
2 <sup>6</sup> 4 <sup>0</sup>	30	48	29 1/2	47 1/2	-	-	-	-	-	28	46	8.44
2 <sup>6</sup> 4 <sup>6</sup>	30	54	29 1/2	53 1/2	-	-	-	-	-	28	52	9.56
2 <sup>6</sup> 5 <sup>0</sup>	30	60	29 1/2	59 1/2	-	-	-	-	-	28	58	10.69
2 <sup>6</sup> 5 <sup>6</sup>	30	66	29 1/2	65 1/2	-	-	-	-	-	28	64	11.81
2 <sup>6</sup> 6 <sup>0</sup>	30	72	29 1/2	71 1/2	-	-	-	-	-	28	70	12.94
3 <sup>0</sup> 2 <sup>0</sup>	36	24	35 1/2	23 1/2	-	-	-	-	-	34	22	4.81
3 <sup>0</sup> 2 <sup>6</sup>	36	30	35 1/2	29 1/2	-	-	-	-	-	34	28	6.19
3 <sup>0</sup> 3 <sup>0</sup>	36	36	35 1/2	35 1/2	-	-	-	-	-	34	34	7.56
3 <sup>0</sup> 3 <sup>6</sup>	36	42	35 1/2	41 1/2	-	-	-	-	-	34	40	8.94
3 <sup>0</sup> 4 <sup>0</sup>	36	48	35 1/2	47 1/2	-	-	-	-	-	34	46	10.31
3 <sup>0</sup> 4 <sup>6</sup>	36	54	35 1/2	53 1/2	-	-	-	-	-	34	52	11.69
3 <sup>0</sup> 5 <sup>0</sup>	36	60	35 1/2	59 1/2	-	-	-	-	-	34	58	13.06
3 <sup>0</sup> 5 <sup>6</sup>	36	66	35 1/2	65 1/2	-	-	-	-	-	34	64	14.44
3 <sup>0</sup> 6 <sup>0</sup>	36	72	35 1/2	71 1/2	-	-	-	-	-	34	70	15.81
4 <sup>0</sup> 2 <sup>0</sup>	48	24	47 1/2	23 1/2	-	-	-	-	-	46	22	6.56
4 <sup>0</sup> 2 <sup>6</sup>	48	30	47 1/2	29 1/2	-	-	-	-	-	46	28	8.44
4 <sup>0</sup> 3 <sup>0</sup>	48	36	47 1/2	35 1/2	-	-	-	-	-	46	34	10.31
4 <sup>0</sup> 3 <sup>6</sup>	48	42	47 1/2	41 1/2	-	-	-	-	-	46	40	12.19
4 <sup>0</sup> 4 <sup>0</sup>	48	48	47 1/2	47 1/2	-	-	-	-	-	46	46	14.06
4 <sup>0</sup> 4 <sup>6</sup>	48	54	47 1/2	53 1/2	-	-	-	-	-	46	52	15.94
4 <sup>0</sup> 5 <sup>0</sup>	48	60	47 1/2	59 1/2	-	-	-	-	-	46	58	17.81
4 <sup>0</sup> 5 <sup>6</sup>	48	66	47 1/2	65 1/2	-	-	-	-	-	46	64	19.69
4 <sup>0</sup> 6 <sup>0</sup>	48	72	47 1/2	71 1/2	-	-	-	-	-	46	70	21.56

## Clear Opening and Egress

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
5 <sup>0</sup> 2 <sup>0</sup>	60	24	59 1/2	23 1/2	-	-	-	-	-	58	22	8.31
5 <sup>0</sup> 2 <sup>6</sup>	60	30	59 1/2	29 1/2	-	-	-	-	-	58	28	10.69
5 <sup>0</sup> 3 <sup>0</sup>	60	36	59 1/2	35 1/2	-	-	-	-	-	58	34	13.06
5 <sup>0</sup> 3 <sup>6</sup>	60	42	59 1/2	41 1/2	-	-	-	-	-	58	40	15.44
5 <sup>0</sup> 4 <sup>0</sup>	60	48	59 1/2	47 1/2	-	-	-	-	-	58	46	17.81
5 <sup>0</sup> 4 <sup>6</sup>	60	54	59 1/2	53 1/2	-	-	-	-	-	58	52	20.19
5 <sup>0</sup> 5 <sup>0</sup>	60	60	59 1/2	59 1/2	-	-	-	-	-	58	58	22.56
5 <sup>0</sup> 5 <sup>6</sup>	60	66	59 1/2	65 1/2	-	-	-	-	-	58	64	24.94
5 <sup>0</sup> 6 <sup>0</sup>	60	72	59 1/2	71 1/2	-	-	-	-	-	58	70	27.31
6 <sup>0</sup> 2 <sup>0</sup>	72	24	71 1/2	23 1/2	-	-	-	-	-	70	22	10.06
6 <sup>0</sup> 2 <sup>6</sup>	72	30	71 1/2	29 1/2	-	-	-	-	-	70	28	12.94
6 <sup>0</sup> 3 <sup>0</sup>	72	36	71 1/2	35 1/2	-	-	-	-	-	70	34	15.81
6 <sup>0</sup> 3 <sup>6</sup>	72	42	71 1/2	41 1/2	-	-	-	-	-	70	40	18.69
6 <sup>0</sup> 4 <sup>0</sup>	72	48	71 1/2	47 1/2	-	-	-	-	-	70	46	21.56
6 <sup>0</sup> 4 <sup>6</sup>	72	54	71 1/2	53 1/2	-	-	-	-	-	70	52	24.44
6 <sup>0</sup> 5 <sup>0</sup>	72	60	71 1/2	59 1/2	-	-	-	-	-	70	58	27.31
6 <sup>0</sup> 5 <sup>6</sup>	72	66	71 1/2	65 1/2	-	-	-	-	-	70	64	30.19
6 <sup>0</sup> 6 <sup>0</sup>	72	72	71 1/2	71 1/2	-	-	-	-	-	70	70	33.06
7 <sup>0</sup> 2 <sup>0</sup>	84	24	83 1/2	23 1/2	-	-	-	-	-	82	22	11.81
7 <sup>0</sup> 2 <sup>6</sup>	84	30	83 1/2	29 1/2	-	-	-	-	-	82	28	15.19
7 <sup>0</sup> 3 <sup>0</sup>	84	36	83 1/2	35 1/2	-	-	-	-	-	82	34	18.56
7 <sup>0</sup> 3 <sup>6</sup>	84	42	83 1/2	41 1/2	-	-	-	-	-	82	40	21.94
7 <sup>0</sup> 4 <sup>0</sup>	84	48	83 1/2	47 1/2	-	-	-	-	-	82	46	25.31
7 <sup>0</sup> 4 <sup>6</sup>	84	54	83 1/2	53 1/2	-	-	-	-	-	82	52	28.69
7 <sup>0</sup> 5 <sup>0</sup>	84	60	83 1/2	59 1/2	-	-	-	-	-	82	58	32.06
8 <sup>0</sup> 2 <sup>0</sup>	96	24	95 1/2	23 1/2	-	-	-	-	-	94	22	13.56
8 <sup>0</sup> 2 <sup>6</sup>	96	30	95 1/2	29 1/2	-	-	-	-	-	94	28	17.44
8 <sup>0</sup> 3 <sup>0</sup>	96	36	95 1/2	35 1/2	-	-	-	-	-	94	34	21.31
8 <sup>0</sup> 3 <sup>6</sup>	96	42	95 1/2	41 1/2	-	-	-	-	-	94	40	25.19
8 <sup>0</sup> 4 <sup>0</sup>	96	48	95 1/2	47 1/2	-	-	-	-	-	94	46	29.06
8 <sup>0</sup> 4 <sup>6</sup>	96	54	95 1/2	53 1/2	-	-	-	-	-	94	52	32.94
8 <sup>0</sup> 5 <sup>0</sup>	96	60	95 1/2	59 1/2	-	-	-	-	-	94	58	36.81

## Clear Opening and Egress

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
1 <sup>3</sup> 1 <sup>3</sup>	15	15	14 1/2	14 1/2	-	-	-	-	-	12 15/16	12 15/16	0.78
1 <sup>6</sup> 1 <sup>6</sup>	18	18	17 1/2	17 1/2	-	-	-	-	-	15 15/16	15 15/16	1.22
2 <sup>0</sup> 2 <sup>0</sup>	24	24	23 1/2	23 1/2	-	-	-	-	-	21 15/16	21 15/16	2.39
2 <sup>6</sup> 2 <sup>6</sup>	30	30	29 1/2	29 1/2	-	-	-	-	-	27 15/16	27 15/16	3.96
3 <sup>0</sup> 3 <sup>0</sup>	36	36	35 1/2	35 1/2	-	-	-	-	-	33 15/16	33 15/16	5.92
4 <sup>0</sup> 4 <sup>0</sup>	48	48	47 1/2	47 1/2	-	-	-	-	-	45 15/16	45 15/16	11.01
5 <sup>0</sup> 5 <sup>0</sup>	60	60	59 1/2	59 1/2	-	-	-	-	-	57 15/16	57 15/16	17.68

## Clear Opening and Egress

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
1 <sup>3</sup> 1 <sup>3</sup>	15	15	14 1/2	14 1/2	-	-	-	-	-	13	13	0.79
1 <sup>6</sup> 1 <sup>6</sup>	18	18	17 1/2	17 1/2	-	-	-	-	-	16	16	1.23
2 <sup>0</sup> 2 <sup>0</sup>	24	24	23 1/2	23 1/2	-	-	-	-	-	22	22	2.41
2 <sup>6</sup> 2 <sup>6</sup>	30	30	29 1/2	29 1/2	-	-	-	-	-	28	28	3.98
3 <sup>0</sup> 3 <sup>0</sup>	36	36	35 1/2	35 1/2	-	-	-	-	-	34	34	5.94
4 <sup>0</sup> 4 <sup>0</sup>	48	48	47 1/2	47 1/2	-	-	-	-	-	46	46	11.04
5 <sup>0</sup> 5 <sup>0</sup>	60	60	59 1/2	59 1/2	-	-	-	-	-	58	58	17.72

**Style Line® Series Half Round Picture Window**



*Clearly, the best.*

Rev: 9/24/15

**Clear Opening and Egress**

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
2 <sup>6</sup> 1 <sup>3</sup>	30	15	29 1/2	14 3/4	-	-	-	-	-	27 15/16	13 3/16	1.98
3 <sup>0</sup> 1 <sup>6</sup>	36	18	35 1/2	17 3/4	-	-	-	-	-	33 15/16	16 3/16	2.96
4 <sup>0</sup> 2 <sup>0</sup>	48	24	47 1/2	23 3/4	-	-	-	-	-	45 15/16	22 3/16	5.51
5 <sup>0</sup> 2 <sup>6</sup>	60	30	59 1/2	29 3/4	-	-	-	-	-	57 15/16	28 3/16	8.84
6 <sup>0</sup> 3 <sup>0</sup>	72	36	71 1/2	35 3/4	-	-	-	-	-	69 15/16	34 3/16	12.96
8 <sup>0</sup> 4 <sup>0</sup>	96	48	95 1/2	47 3/4	-	-	-	-	-	93 15/16	46 3/16	23.55

**Style Line® Series Half Round Picture Window, Slider Frame**



*Clearly, the best.*

Rev: 9/24/15

**Clear Opening and Egress**

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
2 <sup>6</sup> 1 <sup>3</sup>	30	15	29 1/2	14 3/4	-	-	-	-	-	27 15/16	13 3/16	1.98
3 <sup>0</sup> 1 <sup>6</sup>	36	18	35 1/2	17 3/4	-	-	-	-	-	33 15/16	16 3/16	2.96
4 <sup>0</sup> 2 <sup>0</sup>	48	24	47 1/2	23 3/4	-	-	-	-	-	45 15/16	22 3/16	5.51
5 <sup>0</sup> 2 <sup>6</sup>	60	30	59 1/2	29 3/4	-	-	-	-	-	57 15/16	28 3/16	8.84
6 <sup>0</sup> 3 <sup>0</sup>	72	36	71 1/2	35 3/4	-	-	-	-	-	69 15/16	34 3/16	12.96
8 <sup>0</sup> 4 <sup>0</sup>	96	48	95 1/2	47 3/4	-	-	-	-	-	93 15/16	46 3/16	23.55



**Style Line® Series Full Round Picture Window**



*Clearly, the best.*

Rev: 9/24/15

**Clear Opening and Egress**

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
2 <sup>6</sup> 2 <sup>6</sup>	30	30	29 1/2	29 1/2	-	-	-	-	-	27 15/16	27 15/16	3.96
3 <sup>0</sup> 3 <sup>0</sup>	36	36	35 1/2	35 1/2	-	-	-	-	-	33 15/16	33 15/16	5.92
3 <sup>6</sup> 3 <sup>6</sup>	42	42	41 1/2	41 1/2	-	-	-	-	-	39 15/16	39 15/16	8.27
4 <sup>0</sup> 4 <sup>0</sup>	48	48	47 1/2	47 1/2	-	-	-	-	-	45 15/16	45 15/16	11.01
5 <sup>0</sup> 5 <sup>0</sup>	60	60	59 1/2	59 1/2	-	-	-	-	-	57 15/16	57 15/16	17.68

**Style Line® Series Full Round Picture Window, Slider Frame**



Rev: 9/24/15

**Clear Opening and Egress**

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
2 <sup>6</sup> 2 <sup>6</sup>	30	30	29 1/2	29 1/2	-	-	-	-	-	27 15/16	27 15/16	3.96
3 <sup>0</sup> 3 <sup>0</sup>	36	36	35 1/2	35 1/2	-	-	-	-	-	33 15/16	33 15/16	5.92
3 <sup>6</sup> 3 <sup>6</sup>	42	42	41 1/2	41 1/2	-	-	-	-	-	39 15/16	39 15/16	8.27
4 <sup>0</sup> 4 <sup>0</sup>	48	48	47 1/2	47 1/2	-	-	-	-	-	45 15/16	45 15/16	11.01
5 <sup>0</sup> 5 <sup>0</sup>	60	60	59 1/2	59 1/2	-	-	-	-	-	57 15/16	57 15/16	17.68

**Style Line® Series Round Top Picture Window**



**Clear Opening and Egress**

Rev: 9/24/15

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
2 <sup>6</sup> 2 <sup>6</sup>	30	30	29 1/2	29 1/2	-	-	-	-	-	27 15/16	27 15/16	4.40
2 <sup>6</sup> 3 <sup>0</sup>	30	36	29 1/2	35 1/2	-	-	-	-	-	27 15/16	33 15/16	5.53
2 <sup>6</sup> 4 <sup>0</sup>	30	48	29 1/2	47 1/2	-	-	-	-	-	27 15/16	45 15/16	7.77
2 <sup>6</sup> 5 <sup>0</sup>	30	60	29 1/2	59 1/2	-	-	-	-	-	27 15/16	57 15/16	10.02
2 <sup>6</sup> 6 <sup>0</sup>	30	72	29 1/2	71 1/2	-	-	-	-	-	27 15/16	69 15/16	12.26
3 <sup>0</sup> 2 <sup>6</sup>	36	30	35 1/2	29 1/2	-	-	-	-	-	33 15/16	27 15/16	5.24
3 <sup>0</sup> 3 <sup>0</sup>	36	36	35 1/2	35 1/2	-	-	-	-	-	33 15/16	33 15/16	6.61
3 <sup>0</sup> 4 <sup>0</sup>	36	48	35 1/2	47 1/2	-	-	-	-	-	33 15/16	45 15/16	9.36
3 <sup>0</sup> 5 <sup>0</sup>	36	60	35 1/2	59 1/2	-	-	-	-	-	33 15/16	57 15/16	12.10
3 <sup>0</sup> 6 <sup>0</sup>	36	72	35 1/2	71 1/2	-	-	-	-	-	33 15/16	69 15/16	14.85
4 <sup>0</sup> 4 <sup>0</sup>	48	48	47 1/2	47 1/2	-	-	-	-	-	45 15/16	45 15/16	12.36
4 <sup>0</sup> 5 <sup>0</sup>	48	60	47 1/2	59 1/2	-	-	-	-	-	45 15/16	57 15/16	16.11
4 <sup>0</sup> 6 <sup>0</sup>	48	72	47 1/2	71 1/2	-	-	-	-	-	45 15/16	69 15/16	19.85
5 <sup>0</sup> 4 <sup>0</sup>	60	48	59 1/2	47 1/2	-	-	-	-	-	57 15/16	45 15/16	15.15
5 <sup>0</sup> 5 <sup>0</sup>	60	60	59 1/2	59 1/2	-	-	-	-	-	57 15/16	57 15/16	19.90
5 <sup>0</sup> 6 <sup>0</sup>	60	72	59 1/2	71 1/2	-	-	-	-	-	57 15/16	69 15/16	24.64
6 <sup>0</sup> 4 <sup>0</sup>	72	48	71 1/2	47 1/2	-	-	-	-	-	69 15/16	45 15/16	17.73
6 <sup>0</sup> 5 <sup>0</sup>	72	60	71 1/2	59 1/2	-	-	-	-	-	69 15/16	57 15/16	23.48
6 <sup>0</sup> 6 <sup>0</sup>	72	72	71 1/2	71 1/2	-	-	-	-	-	69 15/16	69 15/16	29.22

**Style Line® Series Round Top Picture Window, Slider Frame**



*Clearly, the best.*

Rev: 9/24/15

**Clear Opening and Egress**

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
2 <sup>6</sup> 2 <sup>6</sup>	30	30	29 1/2	29 1/2	-	-	-	-	-	28	28	4.43
2 <sup>6</sup> 3 <sup>0</sup>	30	36	29 1/2	35 1/2	-	-	-	-	-	28	34	5.55
2 <sup>6</sup> 4 <sup>0</sup>	30	48	29 1/2	47 1/2	-	-	-	-	-	28	46	7.80
2 <sup>6</sup> 5 <sup>0</sup>	30	60	29 1/2	59 1/2	-	-	-	-	-	28	58	10.05
2 <sup>6</sup> 6 <sup>0</sup>	30	72	29 1/2	71 1/2	-	-	-	-	-	28	70	12.30
3 <sup>0</sup> 2 <sup>6</sup>	36	30	35 1/2	29 1/2	-	-	-	-	-	34	28	5.26
3 <sup>0</sup> 3 <sup>0</sup>	36	36	35 1/2	35 1/2	-	-	-	-	-	34	34	6.64
3 <sup>0</sup> 4 <sup>0</sup>	36	48	35 1/2	47 1/2	-	-	-	-	-	34	46	9.39
3 <sup>0</sup> 5 <sup>0</sup>	36	60	35 1/2	59 1/2	-	-	-	-	-	34	58	12.14
3 <sup>0</sup> 6 <sup>0</sup>	36	72	35 1/2	71 1/2	-	-	-	-	-	34	70	14.89
4 <sup>0</sup> 4 <sup>0</sup>	48	48	47 1/2	47 1/2	-	-	-	-	-	46	46	12.40
4 <sup>0</sup> 5 <sup>0</sup>	48	60	47 1/2	59 1/2	-	-	-	-	-	46	58	16.15
4 <sup>0</sup> 6 <sup>0</sup>	48	72	47 1/2	71 1/2	-	-	-	-	-	46	70	19.90
5 <sup>0</sup> 4 <sup>0</sup>	60	48	59 1/2	47 1/2	-	-	-	-	-	58	46	15.19
5 <sup>0</sup> 5 <sup>0</sup>	60	60	59 1/2	59 1/2	-	-	-	-	-	58	58	19.94
5 <sup>0</sup> 6 <sup>0</sup>	60	72	59 1/2	71 1/2	-	-	-	-	-	58	70	24.69
6 <sup>0</sup> 4 <sup>0</sup>	72	48	71 1/2	47 1/2	-	-	-	-	-	70	46	17.78
6 <sup>0</sup> 5 <sup>0</sup>	72	60	71 1/2	59 1/2	-	-	-	-	-	70	58	23.53
6 <sup>0</sup> 6 <sup>0</sup>	72	72	71 1/2	71 1/2	-	-	-	-	-	70	70	29.28

## Clear Opening and Egress

Rev: 9/24/15

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
2 <sup>6</sup> 2 <sup>0</sup>	30	24	29 1/2	23 1/2	-	-	-	-	-	27 15/16	21 15/16	Visible glass sq. ft. will vary as the legs of the arch change.
2 <sup>6</sup> 2 <sup>6</sup>	30	30	29 1/2	29 1/2	-	-	-	-	-	27 15/16	27 15/16	
2 <sup>6</sup> 3 <sup>0</sup>	30	36	29 1/2	35 1/2	-	-	-	-	-	27 15/16	33 15/16	
2 <sup>6</sup> 4 <sup>0</sup>	30	48	29 1/2	47 1/2	-	-	-	-	-	27 15/16	45 15/16	
2 <sup>6</sup> 5 <sup>0</sup>	30	60	29 1/2	59 1/2	-	-	-	-	-	27 15/16	57 15/16	
2 <sup>6</sup> 6 <sup>0</sup>	30	72	29 1/2	71 1/2	-	-	-	-	-	27 15/16	69 15/16	
3 <sup>0</sup> 1 <sup>6</sup>	36	18	35 1/2	17 1/2	-	-	-	-	-	33 15/16	15 15/16	
3 <sup>0</sup> 2 <sup>0</sup>	36	24	35 1/2	23 1/2	-	-	-	-	-	33 15/16	21 15/16	
3 <sup>0</sup> 2 <sup>6</sup>	36	30	35 1/2	29 1/2	-	-	-	-	-	33 15/16	27 15/16	
3 <sup>0</sup> 3 <sup>0</sup>	36	36	35 1/2	35 1/2	-	-	-	-	-	33 15/16	33 15/16	
3 <sup>0</sup> 4 <sup>0</sup>	36	48	35 1/2	47 1/2	-	-	-	-	-	33 15/16	45 15/16	
3 <sup>0</sup> 5 <sup>0</sup>	36	60	35 1/2	59 1/2	-	-	-	-	-	33 15/16	57 15/16	
3 <sup>0</sup> 6 <sup>0</sup>	36	72	35 1/2	71 1/2	-	-	-	-	-	33 15/16	69 15/16	
4 <sup>0</sup> 1 <sup>6</sup>	48	18	47 1/2	17 1/2	-	-	-	-	-	45 15/16	15 15/16	
4 <sup>0</sup> 2 <sup>0</sup>	48	24	47 1/2	23 1/2	-	-	-	-	-	45 15/16	21 15/16	
4 <sup>0</sup> 2 <sup>6</sup>	48	30	47 1/2	29 1/2	-	-	-	-	-	45 15/16	27 15/16	
4 <sup>0</sup> 3 <sup>0</sup>	48	36	47 1/2	35 1/2	-	-	-	-	-	45 15/16	33 15/16	
4 <sup>0</sup> 3 <sup>6</sup>	48	42	47 1/2	41 1/2	-	-	-	-	-	45 15/16	39 15/16	
4 <sup>0</sup> 4 <sup>0</sup>	48	48	47 1/2	47 1/2	-	-	-	-	-	45 15/16	45 15/16	
4 <sup>0</sup> 4 <sup>6</sup>	48	54	47 1/2	53 1/2	-	-	-	-	-	45 15/16	51 15/16	
4 <sup>0</sup> 5 <sup>0</sup>	48	60	47 1/2	59 1/2	-	-	-	-	-	45 15/16	57 15/16	
4 <sup>0</sup> 6 <sup>0</sup>	48	72	47 1/2	71 1/2	-	-	-	-	-	45 15/16	69 15/16	
5 <sup>0</sup> 1 <sup>6</sup>	60	18	59 1/2	17 1/2	-	-	-	-	-	57 15/16	15 15/16	
5 <sup>0</sup> 2 <sup>0</sup>	60	24	59 1/2	23 1/2	-	-	-	-	-	57 15/16	21 15/16	
5 <sup>0</sup> 2 <sup>6</sup>	60	30	59 1/2	29 1/2	-	-	-	-	-	57 15/16	27 15/16	
5 <sup>0</sup> 3 <sup>0</sup>	60	36	59 1/2	35 1/2	-	-	-	-	-	57 15/16	33 15/16	
5 <sup>0</sup> 3 <sup>6</sup>	60	42	59 1/2	41 1/2	-	-	-	-	-	57 15/16	39 15/16	
5 <sup>0</sup> 4 <sup>0</sup>	60	48	59 1/2	47 1/2	-	-	-	-	-	57 15/16	45 15/16	
5 <sup>0</sup> 5 <sup>0</sup>	60	60	59 1/2	59 1/2	-	-	-	-	-	57 15/16	57 15/16	
5 <sup>0</sup> 6 <sup>0</sup>	60	72	59 1/2	71 1/2	-	-	-	-	-	57 15/16	69 15/16	
6 <sup>0</sup> 1 <sup>6</sup>	72	18	71 1/2	17 1/2	-	-	-	-	-	69 15/16	15 15/16	
6 <sup>0</sup> 2 <sup>0</sup>	72	24	71 1/2	23 1/2	-	-	-	-	-	69 15/16	21 15/16	
6 <sup>0</sup> 2 <sup>6</sup>	72	30	71 1/2	29 1/2	-	-	-	-	-	69 15/16	27 15/16	
6 <sup>0</sup> 3 <sup>0</sup>	72	36	71 1/2	35 1/2	-	-	-	-	-	69 15/16	33 15/16	
6 <sup>0</sup> 3 <sup>6</sup>	72	42	71 1/2	41 1/2	-	-	-	-	-	69 15/16	39 15/16	
6 <sup>0</sup> 4 <sup>0</sup>	72	48	71 1/2	47 1/2	-	-	-	-	-	69 15/16	45 15/16	
6 <sup>0</sup> 5 <sup>0</sup>	72	60	71 1/2	59 1/2	-	-	-	-	-	69 15/16	57 15/16	
6 <sup>0</sup> 6 <sup>0</sup>	72	72	71 1/2	71 1/2	-	-	-	-	-	69 15/16	69 15/16	
7 <sup>0</sup> 1 <sup>6</sup>	84	18	83 1/2	17 1/2	-	-	-	-	-	81 15/16	15 15/16	
7 <sup>0</sup> 2 <sup>0</sup>	84	24	83 1/2	23 1/2	-	-	-	-	-	81 15/16	21 15/16	
7 <sup>0</sup> 2 <sup>6</sup>	84	30	83 1/2	29 1/2	-	-	-	-	-	81 15/16	27 15/16	
7 <sup>0</sup> 3 <sup>0</sup>	84	36	83 1/2	35 1/2	-	-	-	-	-	81 15/16	33 15/16	
7 <sup>0</sup> 4 <sup>0</sup>	84	48	83 1/2	47 1/2	-	-	-	-	-	81 15/16	45 15/16	
8 <sup>0</sup> 1 <sup>6</sup>	96	18	95 1/2	17 1/2	-	-	-	-	-	93 15/16	15 15/16	
8 <sup>0</sup> 2 <sup>0</sup>	96	24	95 1/2	23 1/2	-	-	-	-	-	93 15/16	21 15/16	
8 <sup>0</sup> 2 <sup>6</sup>	96	30	95 1/2	29 1/2	-	-	-	-	-	93 15/16	27 15/16	
8 <sup>0</sup> 3 <sup>0</sup>	96	36	95 1/2	35 1/2	-	-	-	-	-	93 15/16	33 15/16	

**Style Line® Series Quarter Round Tall Picture Window**



*Clearly, the best.*

Rev: 9/24/15

**Clear Opening and Egress**

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
2 <sup>6</sup> 3 <sup>6</sup>	30	42	29 1/2	41 1/2	-	-	-	-	-	27 15/16	39 15/16	6.02
2 <sup>6</sup> 4 <sup>0</sup>	30	48	29 1/2	47 1/2	-	-	-	-	-	27 15/16	45 15/16	7.14
2 <sup>6</sup> 5 <sup>0</sup>	30	60	29 1/2	59 1/2	-	-	-	-	-	27 15/16	57 15/16	9.38
2 <sup>6</sup> 5 <sup>6</sup>	30	66	29 1/2	65 1/2	-	-	-	-	-	27 15/16	63 15/16	10.51
2 <sup>6</sup> 6 <sup>0</sup>	30	72	29 1/2	71 1/2	-	-	-	-	-	27 15/16	69 15/16	11.63
3 <sup>0</sup> 4 <sup>6</sup>	36	54	35 1/2	53 1/2	-	-	-	-	-	33 15/16	51 15/16	9.81
3 <sup>0</sup> 5 <sup>0</sup>	36	60	35 1/2	59 1/2	-	-	-	-	-	33 15/16	57 15/16	11.18
3 <sup>0</sup> 5 <sup>6</sup>	36	66	35 1/2	65 1/2	-	-	-	-	-	33 15/16	63 15/16	12.55
3 <sup>0</sup> 6 <sup>0</sup>	36	72	35 1/2	71 1/2	-	-	-	-	-	33 15/16	69 15/16	13.92
4 <sup>0</sup> 5 <sup>0</sup>	48	60	47 1/2	59 1/2	-	-	-	-	-	45 15/16	57 15/16	14.45
4 <sup>0</sup> 5 <sup>6</sup>	48	66	47 1/2	65 1/2	-	-	-	-	-	45 15/16	63 15/16	16.32
4 <sup>0</sup> 6 <sup>0</sup>	48	72	47 1/2	71 1/2	-	-	-	-	-	45 15/16	69 15/16	18.19
5 <sup>0</sup> 5 <sup>6</sup>	60	66	59 1/2	65 1/2	-	-	-	-	-	57 15/16	63 15/16	19.66
5 <sup>0</sup> 6 <sup>0</sup>	60	72	59 1/2	71 1/2	-	-	-	-	-	57 15/16	69 15/16	22.03

**Style Line® Series Quarter Round Tall Picture Window, Slider Frame**



*Clearly, the best.*

Rev: 9/24/15

**Clear Opening and Egress**

Egress Requirements	Min. Width	Min. Height	Min. Sq.Ft.
United States	20"	24"	5.70
Canada	15"	15"	3.77

Size	Rough Opening		Net Size		Clear Opening		Clear Opening Sq. Ft.	Egress Compliance		Glass Size		Total Visible Glass Sq. Ft.
	Width	Height	Width	Height	Width	Height		U.S.	Canada	Width	Height	
2 <sup>6</sup> 3 <sup>6</sup>	30	42	29 1/2	41 1/2	-	-	-	-	-	28	40	6.04
2 <sup>6</sup> 4 <sup>0</sup>	30	48	29 1/2	47 1/2	-	-	-	-	-	28	46	7.16
2 <sup>6</sup> 5 <sup>0</sup>	30	60	29 1/2	59 1/2	-	-	-	-	-	28	58	9.41
2 <sup>6</sup> 5 <sup>6</sup>	30	66	29 1/2	65 1/2	-	-	-	-	-	28	64	10.54
2 <sup>6</sup> 6 <sup>0</sup>	30	72	29 1/2	71 1/2	-	-	-	-	-	28	70	11.66
3 <sup>0</sup> 4 <sup>6</sup>	36	54	35 1/2	53 1/2	-	-	-	-	-	34	52	9.84
3 <sup>0</sup> 5 <sup>0</sup>	36	60	35 1/2	59 1/2	-	-	-	-	-	34	58	11.21
3 <sup>0</sup> 5 <sup>6</sup>	36	66	35 1/2	65 1/2	-	-	-	-	-	34	64	12.59
3 <sup>0</sup> 6 <sup>0</sup>	36	72	35 1/2	71 1/2	-	-	-	-	-	34	70	13.96
4 <sup>0</sup> 5 <sup>0</sup>	48	60	47 1/2	59 1/2	-	-	-	-	-	46	58	14.48
4 <sup>0</sup> 5 <sup>6</sup>	48	66	47 1/2	65 1/2	-	-	-	-	-	46	64	16.36
4 <sup>0</sup> 6 <sup>0</sup>	48	72	47 1/2	71 1/2	-	-	-	-	-	46	70	18.23
5 <sup>0</sup> 5 <sup>6</sup>	60	66	59 1/2	65 1/2	-	-	-	-	-	58	64	19.70
5 <sup>0</sup> 6 <sup>0</sup>	60	72	59 1/2	71 1/2	-	-	-	-	-	58	70	22.07